Think Vision T34w-20 61F3GAT1FU

Product

ThinkVision T34w-20

Machine Type

61F3

Region

EMEA

Display Size

34"

View Area

797.2x333.7 mm

Panel

VA

Aspect Ratio

21:9

Resolution

3440x1440

Pixel Pitch

0.23175x0.23175 mm

Dot / Pixel Per Inch

109 dpi

View Angle (H / V)

178 / 178

Response Time

4 ms (Extreme mode) / 6 ms (Typical mode) / 17 ms (Off mode)

Color Support

16.7 Million

Refresh Rate

60 Hz

Brightness

350 nits

Contrast Ratio

3000:1

Color Gamut

99% sRGB

Curvature

1500R

Anti-glare

Yes

Video Connector

HDMI, DP, USB Type-C

USB Port

4x USB 3.1 Gen 1 (1x BC)

Camera

None

Microphone

None

Speakers

None

Power Consumption (Typical / Maximum)

46W / 140W

Power Adapter

Integrated

Stand

Tilt, Swivel, Height Adjust Stand

Color

Raven Black

Side Bezel Width

2.2 mm

Dimensions with Stand (HxWxD)

597.4x808.6x245 mm / 23.52x31.83x9.65 inches

Weight (Including Stand)

9.91 kg / 21.85 lbs.

Cables Included

USB Type-C to Type-C cable

Environmental Certification

Energy Star Certified, TCO 8.0, TCO Edge 2.0, EPEAT Silver, RoHS

Ergonomic Certification

TÜV Rheinland Eye Comfort

Base Warrantv

3-year

Operating System Support

Support Windows 7, Windows 10

Sync Technology

None

Tiny Support / CPU / Platform

None / None / None

Ethernet / Bluetooth / Wireless

None / None / None

Touch Screen / Digitizer Pen / Battery

None / None / None

Display Ram / Storage / Card Slot

None / None / None

EAN/UPC/JAN

0193638980544 / 193638980544 / None

Announce Date 2020-02-08

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2022. All rights reserved.



Specifications

DISPLAY

Panel Size

34-inch

Screen Dimensions

797.20 mm x 333.70 mm

Panel Type

3-side NearEdgeless

VA

Curvature

1500R

Backlight WLED

Aspect Ratio

21:9

Resolution

3440 x 1440

Pixel Pitch

0.2317 x 0.2317 mm

Dot/Pixel Per Inch (DPI/PPI)

109

Viewing Angle (H x V @ CR 10:1)

178° / 178°

Response Time

4ms (extreme mode) 6ms (normal mode)

Refresh Rate

60 Hz

Brightness (typical)

350 cd/m²

Contrast Ratio (typical)

3000:1

Dynamic Contrast Ratio (typical)

3M:1

Colour Gamut

99% sRGB

Color Support (typical)

16.7 Million

Anti-glare

Yes

CONNECTIVITY

Video Signal

1 x USB Type-C Gen1 (DP1.2 Alt Mode) 1 x HDMI 2.0 1 x DP 1.2

Audio Signal

1 x Audio Out (3.5 mm)

USB Upstream

1 x USB 3.1 Gen1 (by USB Type-C)

USB Downstream

4 x USB 3.1 Gen1 (1 BC)

POWER

Power Consumption (typ./max.)

46W / 140W

Power Consumption Sleep/Off Mode

< 0.5W

Power Consumption Switch-off Mode

< 0.5W

ENERGY STAR Power

Consumption (P_{on}/E_{TEC}) 34W / 107kWh

...,

USB Type-C Power Delivery (W)

Up to 75W*

Smart Power

Yes

Voltage Required

AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back)

-5°/35°

Swivel Angle (left/right)

+45°/ -45°

Lift (max range)

135 mm

VESA Mount Capability

Yes (100 x 100 mm)

Kensington Lock Slot

Yes

Cable Management

Yes

Bezel Color

Raven Black

Bezel Width (side)

2.2 mm

Bezel Width (top/bottom)

2.2 / 27.8 mm

DIMENSION

Size Packed (D x H x W, mm/inch)

523.0 x 250.0 x 980.0 mm / 20.59 x 9.84 x 38.58 inches

Size Unpacked w/ Stand (D x H x W, mm/inch)

(lowest position) 245.0 x 462.4 x 808.6 mm / 9.65 x 18.21 x 31.84 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

245.0 x 597.4 x 808.6 mm / 9.65 x 23.52 x 31.84 inches

Size Unpacked w/o Stand (head only) (D x H x W, mm/inch)

106.1 x 372.6 x 808.6 mm / 4.18 x 14.67 x 31.84 inches

Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm)

119.1 mm

Max. Distance from Table to Panel (highest pixel at top of screen, mm)

587.9 mm

Weight Packed (kg/lbs.) 13.85 kg / 30.53 lbs.

Weight Unpacked (kg/lbs.) 9.91 kg / 21.85 lbs.

0.01.1.97 = ...00 ...01

Weight (monitor head only) (kg/lbs.)

6.91 kg / 15.23 lbs.

Full Container Load (40' STD / 20' STD)

432 / 216 units

WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8 m) 1 x DP cable (1.8 m) (NA only) 1 x USB Type-C to Type-A cable (1.8 m) (NA only) 1 x USB Type-C to Type-C cable (1.8 m) Quick setup guide

CERTIFICATION

ENERGY STAR Rating

8.0

CCC Yes

тсо

8.0

TCO Edge

2.0

EPEAT Silver

RoHS (EU 2002/95/EC)

Yes

Windows Certification
Windows 7, Windows 10

China Energy Efficiency Standard

Tier 2

TÜV Rheinland Eye Comfort















^{*}Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.











